





Complexity
Functions
Pieces



www.Artikala.com



OFF-ROADER

Design notes: wide wheelbase, high clearance, exposed shock absorbers, front-bumper winch, spotlights

Technical specifications:


Dimensions (l x w x h): 20 x 10 x 10 studs
Wheelbase: 11 studs
Axle width front/rear: 10/10 studs

Features: hinged hood, V4 engine, rear accessory clips





www.Artikala.com



1




2




3





4




5




6









7





8




9





10




11




12









13



14





15









16





17







18






19







x2

20





21






22




23





Complexity
Functions
Pieces



GO-KART

Design notes: wide and low chassis, single-cylinder engine, large seat, small wheels, gas and brake pedals

Technical specifications:



Dimensions (l × w × h): 21 × 12 × 9 studs

Wheelbase: 14 studs



Axle width front/rear: 12/12 studs





1





2





3





4




5






6









7





8



9






10










11





12



13



14



1




2



3




15











16



17





18






19





20





Complexity 
 Functions 
 Pieces 



MUSCLE CAR

Design notes: fastback body design,
hood scoop, exposed exhaust pipes


Technical specifications:

Dimensions (l x w x h): 21 x 10 x 8 studs

Wheelbase: 12 studs


Axle width front/rear: 8/8 studs

Features: opening doors







1




2




3





4



5





6









7



8



9






10



1





2



11





12










13





14




15




16





1




2





17









18






19




20







Complexity 
Functions 
Pieces 



STROLLER

Design notes: open frame, upright chair, curved handlebars

Technical specifications:


Dimensions (l x w x h):	14 x 10 x 15 studs
Wheelbase:	8 studs
Axle width front/rear:	10/10 studs




1




1





2





3




4




5



6





7




1x
1x
1x
1x
1x

2x
2x
1x
1x
2x
4x
2x






3




1




2




3






4



5




4







5




6




1




2



3



4






7






8





Complexity
Functions
Pieces



MULTI-PURPOSE TRUCK

Design notes: short nose, wide axle, high clearance

Technical specifications:

Dimensions (l x w x h): 19 x 11 x 11 studs
Wheelbase: 11 studs
Axle width front/rear: 10/10 studs



Features: tipping bed



1





2





3





4





5



6





7








8





9




10





11



12





13









14





15






16






17





1





2




3





4







5




6







18





1





2




3




4





5



6





19



1x



1x



2x



2x



2x



2x



2x



2x



2x



2x



2x




2x




2x



1



2





3








20



21





Complexity 
 Functions 
 Pieces 





HISTORIC RACER

Design notes: bullet shape, minimal aeroscreen, wide wheelbase, six-cylinder engine, rollbar


Technical specifications:

Dimensions (l x w x h): 19 x 10 x 6 studs
 Wheelbase: 12 studs
 Axle width front/rear: 10/10 studs







1





2



3



4





5







6



7



8




9







10





1





2




3





4




5






11








12





1




2








3







4









[illegible]

14





15






16





17





Complexity 
Functions 
Pieces 



CLASSIC CAR

Design notes: wide chassis, convertible, wide stripe, classic curves


Technical specifications:

Dimensions (l × w × h): 23 × 13 × 7 studs



Wheelbase: 12 studs

Axle width front/rear: 10/10 studs



Features: opening doors





1




2




3





4







5



6




7






8



1x



2x

2x



1x

4x

2x

2x



2x

2x

2x

2x



1x

2x


2x

1x


1



2



3



4



5




6




2x

2x






7







1x


2x









12




1



2



3



4



1



2




3





1



2






3








13



14




15



1



2

3




4

5








16




1





2




3





4








5



6





7







8




9









17





1





2




3




4





5








6






7



8





18






19




20





Complexity
Functions
Pieces



WHEEL LOADER

Design notes: heavy-duty construction, central cabin

Technical specifications:

Dimensions (l x w x h): 21 x 10 x 11 studs

Wheelbase: 9 studs

Axle width front/rear: 8/8 studs

Features: articulated steering, arm elevation, tipping bucket




1



2x

1



1x




1x



1x

2



2x




2x



2x

3



2x




1x



1x

4



2x




2x



2x

5




1x



2x

6



1x





1x




2x

7








2





1




2





3



4





5



6




7








3





1




2





3



4



5




4




1



2



5





1



2



3




1






2









6






7








8








9






10



11







12





1




2




3



4




5








13





Complexity 
Functions 
Pieces 





STREET ROD


Design notes: wide rear axle, lowrider, exposed V6 engine, detailed two-seat interior.

Technical specifications:


Dimensions (l × w × h): 19 × 10 × 6 studs
Wheelbase: 12 studs
Axle width front/rear: 9/10 studs





1



2





3




4






5




6





7









8




9




10





1





2





3





4









5




6




7




8








9



10




11





12





13






11



1




2






3








12




13






14









15




16





17










18





19




20




21




22





Complexity 
 Functions 
 Pieces 




RESCUE TRUCK


Design notes: long wheelbase, cherry picker arm with bucket, massive front grille, hazard lights

Technical specifications:


Dimensions (l × w × h): 26 × 10 × 11 studs
 Wheelbase: 16 studs
 Axle width front/rear: 8/8 studs

Features: boom rotation, boom elevation







1




2




3





4







5



6





7







8




9





10






www.Artikala.com



11





12









13





14




15




16




1



2





3










17





18



19



20




1






2







21





22








23






24









25



26






27








28







29





30






31





32





Complexity
Functions
Pieces




HOT ROD

Design notes: chop top, exposed V8 engine, big exhaust pipes, wide rear axle



Technical specifications:

Dimensions (l × w × h): 18 × 10 × 8 studs
Wheelbase: 13 studs
Axle width front/rear: 8/10 studs



Features: opening doors





1




2



3





4








5



6





7










8





9





10



11





12







13






14



15





16









17





18




19





20






21






22





Complexity 
 Functions 
 Pieces 




GRAN TURISMO

Design notes: low chassis, aerodynamic shape, sophisticated lines, racing stripes, spoiler



Technical specifications:

Dimensions (l x w x h): 20 x 9 x 7 studs
 Wheelbase: 12 studs
 Axle width front/rear: 8/8 studs



Features: opening doors





1



2





3








4





5







6






7







8





9







10





11







12





13







14






15






16






17









18




19




20





1



2



21



1



2




3









22




1





2




3





4





5





23




1




2








3






24





25





Complexity 
Functions 
Pieces 




CHOPPER

Design notes: 4-cylinder engine, high handlebars, big headlight, gas tank, easy rider seat


Technical specifications:

Dimensions (l × w × h): 18 × 9 × 9 studs
Wheelbase: 14 studs
Axle width front/rear: 4/3 studs



Features: working steering





1




2




3



4





5







6



7




8





9








10




11





12




1




2





3



4





5







6





7




8









13






14





Complexity 
Functions 
Pieces 











ROADSTER

Design notes: dramatic curves; open top; long, tapered nose; classic sporty design; detailed interior



Technical specifications:

Dimensions (l × w × h): 21 × 9 × 7 studs
Wheelbase: 14 studs
Axle width front/rear: 8/8 studs








5



6




7









8





9




10





11




12




13




1



2





3








14




15





16





17




18





19





20



21



22



1




2



3






4







23





24






25





1



2





26








27



28






29





Complexity 
Functions 
Pieces 




WRECKER

Design notes: long wheelbase, high clearance, flat bed, wide rear axle, massive grille, livery lines



Technical specifications:

Dimensions (l × w × h): 23 × 10 × 11 studs
Wheelbase: 14 studs
Axle width front/rear: 8/10 studs



Features: lifting crane





1




2



3





4









5



6





7








8




9



10



2





1





2





11



12





13









14



15





16








17



18



19







20



1




2




3





4





5




6





7




8







9








10








24








25





1





2




3






4




5







26






27




28





Complexity
Functions
Pieces




DUNE BUGGY

Design notes: roll cage, rear V4 engine, bull bar, exposed shocks, big rear wing, spotlights


Technical specifications:

Dimensions (l × w × h): 18 × 10 × 9 studs
Wheelbase: 12 studs
Axle width front/rear: 10/10 studs



Features: hinged rear axle




1





2




3



4





5








6




7



8




9





10





1





2




3




4



5



6



7





8



9





11




1x




1x




1x




12





1





2





3




4




5



6



7





8





9







13



14




15



16




2x




1




2




3




4



5



6



17

1x



2x



2x



1x



2x



1x



1x




1x



1x




1x






18





1




2




3




4




5



6




7




8




9







19





Complexity 
 Functions 
 Pieces 



FORKLIFT

Design notes: short wheelbase, open cabin, big mirrors, spotlights

Technical specifications:

Dimensions (l × w × h): 22 × 10 × 16 studs



Wheelbase: 9 studs

Axle width front/rear: 8/8 studs



Features: tilting mast, folding fork, pallet




1





2






3





4




5





6









7





8





9



10





11









12






13






14



15






16










17







18








20



21







22




1



1




2






x2

2




3







4




1




2




3






23







24




1



2




3





Complexity
Functions
Pieces



BIG RIG

Design notes: spacious cabin, big mirrors, massive grille, airfoil, fifth wheel, mudguards

Technical specifications:

Dimensions (l × w × h): 20 × 14 × 14 studs



Wheelbase: 12 studs

Axle width front/rear: 10/10 studs



Features: opening doors, tipping cabin





1





2





3





4





5





6



7





8









9





10



11







 1x

 1x


 3x





14





1




2




3





4









5





6




7





8







9



10




11








15







1




2




3




4









5



6




7








16





1





2




3





4




5






x2

17





18



1x



1x




1x



1x



1x



1




2

3







19





20








21





22







23





Complexity 
Functions 
Pieces 



F1 RACER



Design notes: low chassis, aerodynamic shape, open-wheeled design, air intakes, front and rear wings

Technical specifications:



Dimensions (l × w × h): 27 × 10 × 8 studs
Wheelbase: 17 studs
Axle width front/rear: 10/10 studs






1





2



3




4







5




1




2




3









4






5





6








6








7






8








9





1




2





3





4




5





6








7





8







10






11







12






1x
2x
2x
2x
1x
2x
1x
2x
1x
2x
1x
2x
1x
2x
1x
2x







14








15







16






17




18





Complexity 
 Functions 
 Pieces 



EXCAVATOR

Design notes: short wheelbase, high clearance, offset cabin, vertical exhaust, hazard light


Technical specifications:

Dimensions (l × w × h): 17 × 9 × 16 studs
 Wheelbase: 9 studs
 Axle width front/rear: 8/8 studs



Features: rotating turret; front blade; articulated arm, dipper, and bucket





1





2





3





4





5





6



7





8









9




10





11










12



13




14








15




1





2





3





4





5





6







16



1




2



3



4






17





1




2




3




4





5





6




7




8




9









10




11




12






18








19





1





2





3




4





5



6







20



1



2



3




1



2



4



5







21

